	11/2017
Mod: OVEN-R	
Production code: PN02751 (BRI	-2009)
Diamond	
Cleaning products	



Safety Data Sheet dated 18/4/2017, version 1

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Mixture identification:	
Trade name:	NEUTRALIZZATORE DI LAVAGGI
Trade code:	MD02762
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
Recommended use;	
Neutralizzatore di lavaggi.	
Uses advised against:	
Uses other than those recomen	ded. Do not use with other product.
1.3. Details of the supplier of the saf	ety data sheet
Company:	
M.D. INTERNATIONAL s.r.l.	
Via Metauro, 31/A	
61033 Fermignano (PU)	
Tel. 0722331112	
Fax 0722332280	
Competent person responsible for th	e safety data sheet:
simona@midor.it	
1.4. Emergency telephone number	
Tel. 0722331112	
Fax 0722332280	
	apa Giovanni XXII - Bergamo - 800 883-300
	azionale di Informazione Tossicologica-PAVIA-0382 24444
	Careggi" U.O. Tossicologia Medica - Firenze - 055 7947819
	iatrico Bambino Gesù - Roma - 06 49978000
) "Umberto I"- Roma - 06 49918000
	o "A. Gemelli" - Roma - 06 3054343
	'A. Cardarelli" - Napoli - 081 7472870
Antipoison Center – Osp. Ped	iatrico Bambino Gesù - Roma - 06 49978000

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

Adverse physicochemical, human health and environmental effects: No other hazards2.2. Label elementsHazard pictograms:



Danger Hazard statements: H314 Causes severe skin burns and eye damage. Precautionary statements:

MD02762/1 Page n. 1 of 9

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/ shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor/...
Special Provisions:
None
Special provisions according to Annex XVII of REACH and subsequent amendments:
None

2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	ber	Classification
>= 10% - < 12.5%	ACIDO 2-IDROSSIPROPANE- 1,2,3-TRICARBOSSILI CO MONOIDRATO	CAS: EC:	5949-29-1 611-842-9	3.3/2 Eye Irrit. 2 H319
>= 3% - < 5%	propan-2-ol; isopropyl alcohol; isopropanol	Index number: CAS: EC:	603-117-00-0 67-63-0 200-661-7	 2.6/2 Flam. Liq. 2 H225 3.3/2 Eye Irrit. 2 H319 3.8/3 STOT SE 3 H336
>= 0.25% - < 0.5%	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve	Index number: CAS: EC:	603-014-00-0 111-76-2 203-905-0	 3.3/2 Eye Irrit. 2 H319 3.2/2 Skin Irrit. 2 H315 3.1/4/Oral Acute Tox. 4 H302 3.1/4/Dermal Acute Tox. 4 H312 3.1/4/Inhal Acute Tox. 4 H332

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediatley and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately. Protect uninjured eye.

MD02762/1 Page n. 2 of 9

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed
 - In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
 - Treatment:
 - None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media: Water. Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid contact with skin and eyes, inhaltion of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material

residuals in the containers. Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

MD02762/1 Page n. 3 of 9

Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection 8.1. Control parameters propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0 ACGIH - TWA(8h): 200 ppm - STEL: 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve - CAS: 111-76-2 EU - TWA(8h): 98 mg/m3, 20 ppm - STEL: 246 mg/m3, 50 ppm - Notes: Skin ACGIH - TWA(8h): 20 ppm - Notes: A3, BEI - Eye and URT irr DNEL Exposure Limit Values 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve - CAS: 111-76-2 Consumer: 123 4 - Exposure: Human Inhalation - Frequency: Short Term, local effects Consumer: 49 4 - Exposure: Human Inhalation - Frequency: 7 Consumer: 38 5 - Exposure: Human Dermal - Frequency: 7 Consumer: 3.2 5 - Exposure: Human Oral - Frequency: 7 Worker Professional: 20 mg/kg - Exposure: Human Inhalation - Frequency: 7 PNEC Exposure Limit Values ACIDO 2-IDROSSIPROPANE-1,2,3-TRICARBOSSILICO MONOIDRATO - CAS: 5949-29-1 Target: Fresh Water - Value: 0.440 mg/l Target: Marine water - Value: 0.0440 mg/l Target: Freshwater sediments - Value: 34.6 mg/l Target: Marine water - Value: 3.46 mg/l 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve - CAS: 111-76-2 Target: Fresh Water - Value: 8.8 mg/l Target: Marine water - Value: 0.88 mg/l Target: Freshwater sediments - Value: 34.6 mg/kg Target: Marine water sediments - Value: 3.46 mg/kg Target: Soil (agricultural) - Value: 3.13 mg/kg 8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

MD02762/1 Page n. 4 of 9

9.1. Information on basic	physical and chemical properties
---------------------------	----------------------------------

Properties	Value	Method:	Notes
Appearance and colour:	LIQUID		
Odour:	CARATTERIS TICO		
Odour threshold:	N.A.		
pH:	2		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	>100°C		
Flash point:	N.A.		
Evaporation rate:	N.A.		
Solid/gas flammability:	NOT INFLAMMABL E		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	1,00+/-0,02 g/cm3		
Solubility in water:	COMPLETA		
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/water):	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
Viscosity:	N.A.		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes	
Miscibility:	N.A.			
Fat Solubility:	N.A.			
Conductivity:	N.A.			
Substance Groups relevant properties	N.A.			

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
- Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.

MD02762/1 Page n. 5 of 9

- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

ACIDO 2-IDROSSIPROPANE-1,2,3-TRICARBOSSILICO MONOIDRATO - CAS: 5949-29-1 a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 6730 mg/kg

Test: LD50 - Route: Skin - Species: Rat = 5500 mg/kg

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 5840 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve - CAS: 111-76-2 a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 2-20 mg/l - Duration: 4H

Test: LD50 - Route: Oral - Species: Rat = 200-2000 mg/kg

Test: LD50 - Route: Skin - Species: Rat = 400-2000 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. ACIDO 2-IDROSSIPROPANE-1,2,3-TRICARBOSSILICO MONOIDRATO - CAS: 5949-29-1 a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 440 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 120 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 640 mg/l - Duration h: 72

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0 a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish > 10 mg/l - Duration h: 48

2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve - CAS: 111-76-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 24 Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96

- b) Aquatic chronic toxicity:
 - Endpoint: EC50 Species: Algae > 100 mg/l
- 12.2. Persistence and degradability
- N.A.
- 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group N.A.
- 14.5. Environmental hazards N.A.
- 14.6. Special precautions for user N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: Restriction 3 **Restriction 40** Restrictions related to the substances contained:

MD02762/1 Page n. 7 of 9

No restriction.

Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 NA

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H315 Causes skin irritation.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1A, H314	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

MD02762/1 Page n. 8 of 9

European Agreement concerning the International Carriage of Dangerous Goods by Road.
Chemical Abstracts Service (division of the American Chemical Society).
Classification, Labeling, Packaging.
Derived No Effect Level.
European Inventory of Existing Commercial Chemical Substances.
Ordinance on Hazardous Substances, Germany.
Globally Harmonized System of Classification and Labeling of Chemicals.
International Air Transport Association.
Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
International Civil Aviation Organization.
Technical Instructions by the "International Civil Aviation Organization" (ICAO).
International Maritime Code for Dangerous Goods.
International Nomenclature of Cosmetic Ingredients.
Explosion coefficient.
Lethal concentration, for 50 percent of test population.
Lethal dose, for 50 percent of test population.
Predicted No Effect Concentration.
Regulation Concerning the International Transport of Dangerous Goods by Rail.
Short Term Exposure limit.
Specific Target Organ Toxicity.
Threshold Limiting Value.
Time-weighted average
German Water Hazard Class.